

## **Edelman, Bradley**

---

### IEEE Search:

negotiat\* <near/5> (protocol or format) - 76 hits

(negotiat\* or match\*) <near/5> (protocol) <near/5> format - 0 hits

### ProQuest Direct:

(negotiat? or match?) w/5 (protocol) w/5 format

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>623</b>	<b>protocol near4 (compatib\$5 or support\$3) near4 format</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>368</b>	<b>1 same (communicat\$4 or network)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>44586</b>	<b>(table or list or map) with (format or protocol)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>89</b>	<b>2 and 3</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>14</b>	<b>2 same 3</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>27</b>	<b>1 with (select\$3 or choos\$3 or chos\$2)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>36</b>	<b>1 with (select\$3 or choos\$3 or chos\$2 or determin\$5)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>21</b>	<b>7 same (communicat\$4 or network)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>14</b>	<b>8 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L11</b>	<b>2</b>	<b>6421429.URPN.</b>	<b>USPAT</b>
<b>11</b>	<b>L12</b>	<b>33</b>	<b>negotiat\$4 near4 format near4 protocol</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L10</b>	<b>8</b>	<b>5 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>L13</b>	<b>16</b>	<b>12 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>L14</b>	<b>444</b>	<b>negotiat\$4 near4 communicat\$4 near4 (parameter or protocol or format)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L15</b>	<b>143</b>	<b>14 same network</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>L16</b>	<b>20</b>	<b>14 same (list or table or iterat\$3 or recurs\$3 or travers\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>17</b>	<b>L18</b>	<b>2780</b>	<b>select\$3 near4 communicat\$4 near4 (parameter or protocol or format)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>L19</b>	<b>229</b>	<b>18 same (list or table or iterat\$3 or recurs\$3 or travers\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>L21</b>	<b>673</b>	<b>18 same network</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>L22</b>	<b>49</b>	<b>19 and 21</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>21</b>	<b>L17</b>	<b>4</b>	<b>16 and 15</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>L23</b>	<b>30</b>	<b>22 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>23</b>	<b>L24</b>	<b>932</b>	<b>709/228.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>L25</b>	<b>646</b>	<b>24 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>L26</b>	<b>274</b>	<b>25 and (compatible or support or appropriate or common) with (protocol or format)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>26</b>	<b>L27</b>	<b>9</b>	<b>("5091931"   "5287199"   "5333266"   "5406557"   "5459775"   "5524137"   "5740231"   "5872926"   "6119137").PN.</b>	<b>USPAT</b>
<b>27</b>	<b>L28</b>	<b>9</b>	<b>5459775.URPN.</b>	<b>USPAT</b>

## IEEE Search

(check\* or verif\* or ensur\$3) <near/8> (format) <near/6> (compatible) <near/6> protocol

(format) <near/6> (compatible) <near/6> protocol

(select\*) <near/6> (compatible) <near/6> protocol)

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L21</b>	<b>18640 505</b>	<b>(check\$3 or verify or verifies or verifying or verification or ensur\$3) adj6 (format) near5 (compatible) near5 protocol (@ad&lt;19970922 or @prad&lt;19970922)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L22</b>	<b>22144 658</b>	<b>(check\$3 or verify or verifies or verifying or verification or ensur\$3) adj6 (format) near5 (compatible) near5 protocol (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L25</b>	<b>3</b>	<b>(check\$3 or verify or verifies or verifying or verification or ensur\$3) adj6 (format) near5 (compatible) near5 protocol and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L26</b>	<b>3</b>	<b>(check\$3 or verify or verifies or verifying or verification or ensur\$3) adj10 (format) near6 (compatible) near6 protocol and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L27</b>	<b>7</b>	<b>(match\$3 or select\$3) adj10 (format) near6 (compatible) near6 protocol and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L28</b>	<b>15</b>	<b>(match\$3 or select\$3) near8 (format) near6 (compatible) near6 protocol and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>7</b>	<b>L29</b>	<b>3</b>	(match\$3 or select\$3 or verif\$6 or ensur\$3) near8 (format or "markup language") near6 (support\$3) near6 protocol and (@ad<20000517 or @prad<20000517)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L30</b>	<b>53</b>	(stor\$3 or sav\$3) near5 protocol near4 map	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>9</b>	<b>L31</b>	<b>7</b>	(select\$3 near3 protocol) near5 (based or according) near5 (format or markup adj language)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L32</b>	<b>14915</b>	format with protocol	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>11</b>	<b>L33</b>	<b>856</b>	format with protocol with (select\$3 or choos\$3 or chosen or match\$3)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L34</b>	<b>0</b>	33 and (support\$3 near3 (single or only or one) near4 format with time)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>L35</b>	<b>0</b>	33 and (support\$3 near3 (single or only or one) near4 format with (once or time))	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>L36</b>	<b>22</b>	33 and (support\$3 near3 (single or only or one) near4 format)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L37</b>	<b>37013</b>	format and protocol and network and (monitor or manage or control) and (appliance or device or machine or computer) and (compatible or support)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>16</b>	<b>L38</b>	<b>2655</b>	<b>format and protocol and network and (monitor or manage or control) and (appliance or device or machine or computer) and (compatible or support) and 709/223,224,227,228,246,230 .ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>L39</b>	<b>47000</b>	<b>protocol near5 (manag\$6 or monitor\$3 or control\$4)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>18</b>	<b>L40</b>	<b>1598</b>	<b>38 and 39</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>19</b>	<b>L41</b>	<b>4846</b>	<b>(select\$3 or choos\$3 or chosen) near4 (format or markup adj language) near6 (data or connection or session)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>L42</b>	<b>28</b>	<b>40 and 41</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>21</b>	<b>L43</b>	<b>3712</b>	<b>41 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>
<b>22</b>	<b>L44</b>	<b>17</b>	<b>42 and (@ad&lt;20000517 or @prad&lt;20000517)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT;</b>